### **About This Manual**



- Depending on the model of your watch, display text appears either as dark figures on a light background or light figures on a dark background. All sample displays in this manual are shown using dark figures on a light background.
   Button operations are indicated using the letters shown in the all interesting.
- in the illustration.
- Each section of this manual provides you with the information you need to perform operations in each mode. Further details and technical information can be found in the "Reference" section.



### **General Guide**

- Press © to change from mode to mode.
  In any mode (except when a setting screen is on the display), press ® to illuminate

Timekeeping Mode **World Time Mode** Stopwatch Mode Countdown Timer Mode Alarm Mode THE **10:58**50,

### Timekeeping



Use the Timekeeping Mode to set and view the current

Read this before you set the time and date!
The times displayed in the Timekeeping Mode and World
Time Mode are linked. Because of this, make sure you

- select a city code for your Home City (the city where you normally use the watch) before you set the time and date.

   To view the current Home City code setting, press (a) while in the Timekeeping Mode.

   For full information on city codes, see the "City Code Table"

### To set the time and date



- 1. In the Timekeeping Mode, hold down (A) until the seconds start to flash, which indicates the setting screen.
- 2. Press © to move the flashing in the sequence shown below to select other settings



3. When the setting you want to change is flashing, use 0 and B to change it as described below.

Screen	To do this:	Do this:
50	Reset the seconds to 🔐	Press D.
TYO	Change the city code	Use (D) (east) and (B) (west).
<b>⊕</b> GF	Toggle between Daylight Saving Time (GF) and Standard Time (GF)	Press D.
10:58	Change the hour or minutes	Use () (+) and () (-).
12 H	Toggle between 12-hour (12 1-1) and 24-hour (24 1-1) timekeeping	Press D.
6.30 20 11	Change the year, month, or day	Use (D) (+) and (B) (-).

- See "Daylight Saving Time (DST)" for details about the DST setting.

  4. Press (a) to exit the setting screen.

  Resetting the seconds to \$\textit{the}\$ while the current count is in the range of 30 to 59 causes the minutes to be increased by 1. In the range of 00 to 29, the seconds are reset to \$\textit{the}\$ without changing the minutes.

  With the 12-hour format, the \$P\$ (PM) indicator appears to the left of the hour digits for times in the range of moon to 11:59 p.m. and no indicator appears to the left of the hour digits for times in the range of midnight to 11:59 a.m.

  With the 24-hour format, times are displayed in the range of 0:00 to 23:59, without any indicator.
- any indicator.

   The 12-hour/24-hour timekeeping format you select in the Timekeeping Mode is

- The 12-hour transceeping format you select in the Timekeeping mode is applied in all modes.
  The year can be set in the range of 2000 to 2099.
  The watch's built-in full automatic calendar makes allowances for different month lengths and leap years. Once you set the date, there should be no reason to change it except after you have the watch's battery replaced.
  The day of the week is automatically displayed in accordance with the date (year, month, and day) settings.
- month, and day) settings.

# Daylight Saving Time (DST)

Daylight Saving Time (summer time) advances the time setting by one hour from Standard Time. Remember that not all countries or even local areas use Daylight Saving Time.

#### To toggle the Timekeeping Mode time between DST and Standard Time

DST indicator



- 1. In the Timekeeping Mode, hold down (A) until the seconds start to flash, which indicates the setting screen
- screen.

  2. Press © twice to display the DST setting screen.

  3. Press © to toggle between Daylight Saving Time (\$#1) and Standard Time (\$#F).

  4. Press © to exit the setting screen.

   The DST indicator is displayed on the Timekeeping Mode
- and Alarm Mode screen while Daylight Saving Time is turned on.

### **World Time**



Current time in the zone of the selected city code

World Time shows the current time in 48 cities (29 time zones) around the world.

• All of the operations in this section are performed in the

World Time Mode, which you enter by pressing ©.

To view the time in another city code

In the World Time Mode, press (1) (eastward) to scroll through the available city codes. Holding down the button scrolls at high speed.

- · For full information about city codes, see the "City Code Table".
- I fill be urrent time shown for a city is wrong, check your Timekeeping Mode time and Home City code settings and make the necessary changes.

### To toggle a city code time between Standard Time and Daylight Saving Time

DST indicator



- In the World Time Mode, use ① to display the city code (time zone) whose Standard Time/Daylight Saving Time setting you want to change.

  2. Hold down ⑥ for about one second to toggle between Daylight Saving Time (DST indicator displayed) and Standard Time (DST indicator not displayed).

- Standard Time (DS1 indicator not displayed).

  The DST indicator is on the display whenever you display a city code for which Daylight Saving Time is turned on.

  Note that the DST/Standard Time setting affects only the currently displayed city code. Other city codes are not affected.
- In the World Time Mode, you can switch the city code you currently have selected as your Timekeeping Mode Home City between Standard Time and DST. The setting you select in the World Time Mode will also be applied in the Timekeeping Mode.

# **Operation Guide 3254**

# CASIO

#### Stopwatch



- The stopwatch lets you measure elapsed time, split times, and two finishes.

   The display range of the stopwatch is 59 minutes, 59.99 seconds.

   The stopwatch continues to run, restarting from zero after it reaches its limit, until you stop it.

   The stopwatch measurement operation continues even if you exit the Stopwatch Mode.
- Exiting the Stopwatch Mode while a split time is frozen on the display clears the split time and returns to elapsed time measurement.
- All of the operations in this section are performed in the Stopwatch Mode, which you enter by pressing ©.

### To measure times with the stopwatch

#### Start Stop Re-start Stop Start Split (SPL displayed) Split release Stop Two Finishes (D) = (A) = (D) = (A) Stop Second runner Split First runner finishes. Split release Display time of second runner. finishes. Display time of first runner.

### Countdown Timer



The countdown timer can be set within a range of one minute to 24 hours. An alarm sounds when the countdown reaches zero

- paches zero.
  The countdown operation continues even if you exit the Countdown Timer Mode.
  All of the operations in this section are performed in the Countdown Timer Mode, which you enter by pressing ©.

#### To use the countdown timer

- Press () while in the Countdown Timer Mode to start the countdown timer.

   When the end of the countdown is reached, the alarm sounds for 10 seconds or until you stop it by pressing any button. The countdown time is automatically reset to its starting value after the alarm stops
- Press 

  while a countdown operation is in progress to pause it. Press 

  again to resume the countdown.
- To completely stop a countdown operation, first pause it (by pressing ①), and then press ②. This returns the countdown time to its starting value.

### To set the countdown start time



- In the Countdown Timer Mode, hold down (a) until the hours of the countdown start time start to flash, which indicates the setting screen.
   Press (a) to move the flashing between the hours and
- 3. While a setting is flashing, use ① (+) or ⑧ (–) to
  - To set the starting value of the countdown time to 24
- hours, set **0:00**.

  4. Press (A) to exit the setting screen.

### **Alarms**



You can set five independent Daily Alarms, When an alarm is turned on, the alarm tone sounds when the alarm alarm is turned on, the alarm tone sounds when the alar time is reached. One of the alarms is a snooze alarm, while the other four are one-time alarms. You can turn on an Hourly Time Signal that causes the watch to be

- There are six screens in the Alami Mode. For a refer one-time alarms (indicated by numbers from AL − 1 through AL − 4), one is for a snooze alarm (indicated by SNZ), and one is for the Hourly Time Signal (indicated by SIG).
   All of the operations in this section are performed in the Alarm Mode, which you enter by pressing ⑥.



1. In the Alarm Mode, use ① to scroll through the alarm screens until the one whose time you want to set is displayed.



- To set a one-time alarm, display one of the screens indicated by an alarm number from ∩L − 1 through ∩L − 4. To set the snooze alarm, display the screen indicated by ≤ NZ.
- ndicated by ≲N.Z.

   The snooze alarm repeats every five minutes.

  2. After you select an alarm, hold down ⑥ until the hour setting of the alarm time starts to flash, which indicates the setting screen.

   This operation turns on the alarm automatically.

  3. Press ⑥ to move the flashing between the hour and minute settings.

   While a setting is flashing, use ⑥ (+) and ⑥ (-) to change it.

   When setting the alarm time using the 12-hour format, take care to set the time correctly as a m. (indicator not displayed) or on. (₱ indicator)

- correctly as a.m. (indicator not displayed) or p.m. (P indicator)
- 5. Press (A) to exit the setting screen.

#### **Alarm Operation**

The alarm sounds at the preset time for about 10 seconds, regardless of the mode the watch is in. In the case of the snooze alarm, the alarm operation is performed a total of seven times, every five minutes, or until you turn the alarm off.

To stop the alarm tone after it starts to sound, press any button.

Performing any one of the following operations during a 5-minute interval between

- snooze alarms cancels the current snooze alarm operation. Displaying the Timekeeping Mode setting screen Displaying the snooze alarm setting screen

#### To test the alarm

In the Alarm Mode, hold down (1) to sound the alarm



Snooze alarm indicator

Alarm on indicator

Snooze alarm indicator

1. In the Alarm Mode, use (1) to select an alarm. to to toggle it on (1) displayed) and off (1) displayed.

Turning on a one-time alarm (AL - 1 through AL - 4)

- □ Iurning on a one-time alarm (ML = 1 mrough HL = 1) displays the alarm on indicator on its Alarm Mode screen.
   □ Turning on the snooze alarm (≦ N ≥) displays the alarm on indicator and snooze alarm indicator on the Alarm Mode snooze alarm screen.
   □ In all modes, the alarm on indicator is shown for any alarm that is currently turned on.
   □ The alarm on indicator flashes while the alarm is sounding.

- sounding.
- The snooze alarm indicator flashes during the 5-minute intervals between alarms

### To turn the Hourly Time Signal on and off



- 1. In the Alarm Mode, use (D) to select the Hourly Time
- 1. In the Alarm Mode, use ⊕ to select the Hourly Time Signal (≦ 1 €). 2. Press ♠ to toggle it on (∰ displayed) and off (∰ displayed). The Hourly Time Signal on indicator is shown on the display in all modes while the Hourly Time Signal is

### Illumination



This watch has an EL (electro-luminescent) panel that causes the entire display to glow for easy reading in the

### Illumination Precautions

- The electro-luminescent panel that provides illumination
- loses power after very long use.

   Illumination may be hard to see when viewed under direct
- The watch may emit an audible sound whenever the display is illuminated. This
  is due to vibration of the EL panel used for illumination, and does not indicate
- Illumination automatically turns off whenever an alarm sounds.
- Frequent use of illumination runs down the battery

### To illuminate the display

You can use the procedure below to select either 1.5 seconds or 3 seconds as the illumination duration. When you press (a), the illumination will remain on for about 1.5 seconds or 3 seconds, depending on the current illumination duration setting.

### To specify the illumination duration



- 1. In the Timekeeping Mode, hold down (A) until the seconds start to flash, which indicates the setting
- Screen. While the seconds are flashing, press (B) to toggle the illumination duration between 1.5 seconds (\*) and 3 seconds (\*).
- 3. Press (A) to exit the setting screen

### Reference

This section contains more detailed and technical information about watch operation. It also contains important precautions and notes about the various features and functions of this watch.

### **Button Operation Tone**



The button operation tone sounds any time you press one of the watch's buttons. You can turn the button operation tone on or off as desired.

• Even if you turn off the button operation tone, the alarm, Hourly Time Signal, and Countdown Timer Mode alarm all operate normally.

### To turn the button operation tone on and off

In any mode (except when a setting screen is on the display), hold down © to toggle the button operation tone on (MUTE indicator not displayed) and off (MUTE indicator

- Holding down © to turn the button operation tone on or off also causes the watch's
- The MUTE indicator is displayed in all modes when the button operation tone is

### **Auto Return Features**

- If you leave the watch in the Alarm Mode for two or three minutes without performing any operation, it automatically changes to the Timekeeping Mode.
   If you leave a screen with flashing digits or a cursor on the display for two or three minutes without performing any operation, the watch automatically saves any settings you have made up to that point and exits the setting screen.

The (B) and (D) buttons are used in various modes and setting screens to scroll through data on the display. In most cases, holding down these buttons during a scroll operation scrolls at high speed.

#### **Initial Screens**

When you enter the World Time or Alarm Mode, the data you were viewing when you last exited the mode appears first.

#### **World Time**

- World Time

  The seconds count of the World Time is synchronized with the seconds count of the Timekeeping Mode.

  All World Time Mode times are calculated from the current Home City time in the Timekeeping Mode using UTC time differential values.

  The UTC differential is a value that indicates the time difference between a
- reference point in Greenwich, England and the time zone where a city is located.

   The letters "UTC" is the abbreviation for "Coordinated Universal Time", which is the
- world-wide scientific standard of timekeeping. It is based upon carefully maintained atomic (cesium) clocks that keep time accurately to within microseconds. Leap seconds are added or subtracted as necessary to keep UTC in sync with the Earth's rotation.

### **Spec**ifications

Accuracy at normal temperature: ±30 seconds a month

Timekeeping: Hour, minutes, seconds, a.m./p.m. (P), day, day of the week
Time format: 12-hour and 24-hour
Calendar system: Full Auto-calendar pre-programmed from the year 2000 to 2099
Other: Home City code (can be assigned one of 48 city codes); Daylight Saving
Time (summer time)/Standard Time
World Time: 48 cities (29 time zones)
Other: Daylight Saving Time(Standard Time)

Other: Daylight Saving Time/Standard Time

Stopwatch

Measuring unit: 1/100 second

Measuring capacity: 59'59.99"
Measuring modes: Elapsed time, split time, two finishes

Countdown Timer

Measuring unit: 1 second Input range: 1 minute to 24 hours (1-minute increments and 1-hour increments)

Alarms: 5 daily alarms (4 one-time alarms: 1 snooze alarm); Hourly Time Signal Illumination: EL Backlight (electro-luminescent panel); Selectable illumination duration

Other: Button operation tone on/off

Battery: One lithium battery (Type: CR1616)
Approximately 3 years on type CR1616 (assuming alarm operation 10 seconds per day, and one illumination operation 1.5 seconds per day)

## City Code Table

City Code	City	UTC Offset/ GMT Differential
PPG	Pago Pago	-11
HNL	Honolulu	-10
ANC	Anchorage	-9
YVR	Vancouver	
SFO	San Francisco	-8
LAX	Los Angeles	1
DEN	Denver	-7
MEX	Mexico City	-6
CHI	Chicago	-6
MIA	Miami	-5
NYC	New York	
CCS*	Caracas	-4
YYT	St. Johns	-3.5
RIO	Rio De Janeiro	-3
RAI	Praia	-1
LIS	Lisbon	0
LON	London	] "
BCN	Barcelona	
PAR	Paris	1
MIL	Milan	+1
ROM	Rome	1
BER	Berlin	1
ATH	Athens	
JNB	Johannesburg	1
IST	Istanbul	+2
CAI	Cairo	
JRS	Jerusalem	
MOW	Moscow	+3
JED	Jeddah	+3

City Code	City	UTC Offset/ GMT Differential	
THR	Tehran	+3.5	
DXB	Dubai	+4	
KBL	Kabul	+4.5	
KHI	Karachi		
MLE	Male	+5	
DEL	Delhi	+5.5	
DAC	Dhaka	+6	
RGN	Yangon	+6.5	
BKK	Bangkok	+7	
SIN	Singapore		
HKG	Hong Kong	+8	
BJS	Beijing		
SEL	Seoul	+9	
TYO	Tokyo		
ADL	Adelaide	+9.5	
GUM	Guam	.10	
SYD	Sydney	+10	
NOU	Noumea	+11	
WLG	Wellington	+12	

- . Based on data as of December 2009.
- Based on data as of December 2009.
  The rules governing global times
  (UTC offset and GMT differential) and
  summer time are determined by each
  individual country.

  In December 2007, Venezuela
- changed its offset from –4 to –4.5.

  Note, however, that this watch displays an offset of –4 (the old offset) for the CCS (Caracas, Venezuela) city code.